

Kit Number	Start Date	Start Time	End Date	End Time	Temperature	Facility	Room	Result	Variance	Analysis Date	%Moisture
9111858	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	MAIN OFF	< 0.3	0.6	2018-11-12	3.7
9111859	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CONFERE	< 0.3	0.5	2018-11-12	3.7
9111860	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	PRINCIPAL	< 0.3	0.6	2018-11-12	2.9
9111861	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	PRINCIPAL	< 0.3	0.5	2018-11-12	4.5
9111862	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	VP 1	< 0.3	0.5	2018-11-12	3.7
9111863	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	VP 2	< 0.3	0.4	2018-11-12	3.7
9111864	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ACCOUNT	< 0.3	0.5	2018-11-12	3.6
9111865	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ATTENDAN	< 0.3	0.5	2018-11-12	3.7
9111866	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	COUNSEL	< 0.3	0.5	2018-11-12	3.6
9111867	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	COUNSEL	< 0.3	0.4	2018-11-12	4.4
9111868	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	COUNSEL	< 0.3	0.4	2018-11-12	3.6
9111869	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	COUNSEL	0.7	0.4	2018-11-12	2.9
9111870	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	COUNSEL	< 0.3	0.5	2018-11-12	3.7
9111873	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	HEALTH R	< 0.3	0.5	2018-11-12	4.4
9111874	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	PSYCOLO	< 0.3	0.5	2018-11-12	3.7
9111875	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	SRO	< 0.3	0.6	2018-11-12	3.7
9111876	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	SRO	< 0.3	0.6	2018-11-12	3.7
9111877	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CAMPUS N	< 0.3	0.5	2018-11-12	3.7
9111878	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ATHLETIC	< 0.3	0.5	2018-11-12	4.4
9111879	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	AD OFFICE	< 0.3	0.5	2018-11-12	2.9
9111880	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CONFERE	< 0.3	0.4	2018-11-12	4.5
9111881	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CONFERE	< 0.3	0.5	2018-11-12	4.5
9111882	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ACTIVITIE	0.6	0.4	2018-11-12	4.5
9111883	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CAFETERI	< 0.3	0.5	2018-11-12	4.4
9111884	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CAFETERI	< 0.3	0.4	2018-11-12	3.7
9111885	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A1	< 0.3	0.5	2018-11-12	4.5
9111886	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A2	< 0.3	0.5	2018-11-12	4.4
9111887	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A3	< 0.3	0.5	2018-11-12	4.4
9111888	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A4	< 0.3	0.5	2018-11-12	4.3
9111889	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A5	< 0.3	0.5	2018-11-12	3.6
9111891	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A7	< 0.3	0.5	2018-11-12	3.6
9111892	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A7	< 0.3	0.5	2018-11-12	4.4
9111893	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A8	< 0.3	0.5	2018-11-12	4.4
9111894	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A OFFICE	< 0.3	0.5	2018-11-12	3.6

Kit Number	Start Date	Start Time	End Date	End Time	Temperature	Facility	Room	Result	Variance	Analysis Date	%Moisture
9111895	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A OFFICE	< 0.3	0.5	2018-11-12	3.6
9111896	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	A OFFICE	< 0.3	0.5	2018-11-12	3.6
9111897	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B1	< 0.3	0.5	2018-11-12	3.5
9111898	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B2	< 0.3	0.5	2018-11-12	4.4
9111899	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B3	< 0.3	0.5	2018-11-12	4.3
9111900	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B4	< 0.3	0.4	2018-11-12	4.3
9111901	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B5	< 0.3	0.5	2018-11-12	3.6
9111902	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B OFFICE	< 0.3	0.6	2018-11-12	3.6
9111903	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B OFFICE	< 0.3	0.5	2018-11-12	3.5
9111904	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B OFFICE	< 0.3	0.5	2018-11-12	4.3
9111905	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B OFFICE	< 0.3	0.6	2018-11-12	3.6
9111906	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B OFFICE	< 0.3	0.5	2018-11-12	3.5
9111907	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	B OFFICE	< 0.3	0.5	2018-11-12	4.3
9111908	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C1	< 0.3	0.4	2018-11-12	4.3
9111909	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C1 OFFICE	< 0.3	0.5	2018-11-12	3.6
9111910	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C2	< 0.3	0.4	2018-11-12	3.6
9111911	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C2	< 0.3	0.5	2018-11-12	3.6
9111912	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C3	< 0.3	0.5	2018-11-12	4.3
9111913	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C OFFICE	< 0.3	0.5	2018-11-12	3.5
9111914	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C4	< 0.3	0.5	2018-11-12	4.3
9111915	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C4 OFFICE	< 0.3	0.5	2018-11-12	4.3
9111916	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C5	< 0.3	0.5	2018-11-12	4.3
9111918	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C6	< 0.3	0.5	2018-11-12	3.5
9111919	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C7	< 0.3	0.5	2018-11-12	3.5
9111920	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C OFFICE	< 0.3	0.5	2018-11-12	4.3
9111921	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C8	< 0.3	0.5	2018-11-12	3.5
9111922	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C9	< 0.3	0.4	2018-11-12	4.3
9111923	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C10	< 0.3	0.5	2018-11-12	4.3
9111924	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C10	< 0.3	0.5	2018-11-12	3.5
9111925	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	C11	< 0.3	0.5	2018-11-12	4.3
9111926	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	D1	< 0.3	0.5	2018-11-12	3.5
9111927	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	D2	< 0.3	0.5	2018-11-12	4.3
9111928	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	D3	< 0.3	0.5	2018-11-12	3.5
9111929	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	D4	< 0.3	0.5	2018-11-12	4.3

Kit Number	Start Date	Start Time	End Date	End Time	Temperature	Facility	Room	Result	Variance	Analysis Date	%Moisture
9111930	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	D5	< 0.3	0.5	2018-11-12	4.3
9111931	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	D6	< 0.3	0.5	2018-11-12	4.3
9111932	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	D7	< 0.3	0.5	2018-11-12	3.5
9111933	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	D8	< 0.3	0.4	2018-11-12	10
9111934	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	D OFFICE	< 0.3	0.5	2018-11-12	4.4
9111936	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	E2	< 0.3	0.5	2018-11-12	4.4
9111938	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	E3	< 0.3	0.5	2018-11-12	3.6
9111939	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	E4	< 0.3	0.5	2018-11-12	5.1
9111940	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	E5	< 0.3	0.5	2018-11-12	4.4
9111941	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	E6	< 0.3	0.5	2018-11-12	3.6
9111943	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	E7	< 0.3	0.5	2018-11-12	3.6
9111944	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	E8	< 0.3	0.5	2018-11-12	4.4
9111945	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	E9	0.5	0.4	2018-11-12	3.6
9111946	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	LIBRARY	< 0.3	0.6	2018-11-12	3.6
9111947	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	LIBRARY	< 0.3	0.5	2018-11-12	4.4
9111948	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CONFERE	< 0.3	0.5	2018-11-12	3.6
9111949	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	COPY ROO	< 0.3	0.5	2018-11-12	3.6
9111950	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	OFFICE 1	< 0.3	0.4	2018-11-12	4.4
9111951	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	OFFICE 1	< 0.3	0.5	2018-11-12	3.6
9111952	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	OFFICE 2	< 0.3	0.4	2018-11-12	4.3
9111953	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	OFFICE 3	< 0.3	0.5	2018-11-12	4.4
9111955	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	H1	< 0.3	0.5	2018-11-12	3.6
9111956	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	H2	< 0.3	0.5	2018-11-12	4.4
9111957	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	LIFESKILL	< 0.3	0.5	2018-11-12	4.4
9111958	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	LIFESKILL	< 0.3	0.5	2018-11-12	4.4
9111959	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	LIFESKILL	< 0.3	0.5	2018-11-12	4.3
9111960	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	LIFESKILL	< 0.3	0.5	2018-11-12	4.4
9111961	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FOREIGN	< 0.3	0.5	2018-11-12	3.6
9111962	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FOREIGN	< 0.3	0.5	2018-11-12	3.6
9111963	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FOREIGN	< 0.3	0.5	2018-11-12	3.5
9111964	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FOREIGN	< 0.3	0.6	2018-11-12	3.6
9111965	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FOREIGN	< 0.3	0.6	2018-11-12	3.6
9111966	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ENGLISH	0.6	0.4	2018-11-12	3.5
9111967	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	COMPUTE	< 0.3	0.6	2018-11-12	3.6

Kit Number	Start Date	Start Time	End Date	End Time	Temperature	Facility	Room	Result	Variance	Analysis Date	%Moisture
9111968	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	OFFICE 1	< 0.3	0.6	2018-11-12	3.6
9111969	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	OFFICE 2	< 0.3	0.5	2018-11-12	4.4
9111970	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	OFFICE 2	< 0.3	0.5	2018-11-12	4.3
9111971	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	MEDIA AR	< 0.3	0.6	2018-11-12	2.9
9111972	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	MA OFFIC	< 0.3	0.5	2018-11-12	4.4
9111973	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	MA OFFIC	< 0.3	0.5	2018-11-12	4.4
9111974	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	MA OFFIC	0.7	0.4	2018-11-12	3.5
9111975	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	MA OFFIC	< 0.3	0.5	2018-11-12	3.6
9111976	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CUSTODIA	< 0.3	0.5	2018-11-12	3.5
9111977	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CUSTODIA	< 0.3	0.5	2018-11-12	3.6
9111978	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	COPY ROO	< 0.3	0.5	2018-11-12	3.6
9111979	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ART ROOM	< 0.3	0.5	2018-11-12	4.3
9111980	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ART OFFIC	< 0.3	0.5	2018-11-12	4.3
9111981	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	AUTO SHC	< 0.3	0.5	2018-11-12	3.5
9111982	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	METALS S	< 0.3	0.5	2018-11-12	4.3
9111983	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	METALS C	< 0.3	0.5	2018-11-12	4.4
9111984	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	METALS C	< 0.3	0.5	2018-11-12	3.6
9111985	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	WOODSHC	< 0.3	0.4	2018-11-12	4.3
9111986	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FOODS CL	< 0.3	0.6	2018-11-12	2.8
9111987	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FOODS CL	< 0.3	0.5	2018-11-12	3.6
9111989	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FFA 2	< 0.3	0.4	2018-11-12	3.6
9111990	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FFA OFFIC	< 0.3	0.6	2018-11-12	3.6
9111991	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	FFA OFFIC	< 0.3	0.4	2018-11-12	3.6
9111992	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	GYM 1	< 0.3	0.5	2018-11-12	3.6
9111993	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	GYM 2	< 0.3	0.5	2018-11-12	4.4
9111996	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	GYM GIRL	< 0.3	0.5	2018-11-12	4.4
9111997	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	GYM GIRL	< 0.3	0.4	2018-11-12	3.6
9111998	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	BAND ROC	< 0.3	0.5	2018-11-12	3.6
9111999	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	BAND OFC	< 0.3	0.5	2018-11-12	4.3
9112000	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ORCHEST	< 0.3	0.5	2018-11-12	5.1
9112001	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ORCHEST	< 0.3	0.5	2018-11-12	4.4
9112002	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	ORCHEST	< 0.3	0.5	2018-11-12	3.5
9112003	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CHOIR	< 0.3	0.4	2018-11-12	3.6
9112004	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	CHOIR OF	< 0.3	0.5	2018-11-12	3.6

Kit Number	Start Date	Start Time	End Date	End Time	Temperature	Facility	Room	Result	Variance	Analysis Date	%Moisture
9112005	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	DRESSING	< 0.3	0.6	2018-11-12	2.8
9112006	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	DRESSING	< 0.3	0.5	2018-11-12	3.6
9112007	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	WEST GYM	< 0.3	0.5	2018-11-12	3.5
9112008	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	WEST GYM	< 0.3	0.5	2018-11-12	3.6
9112009	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	WEST GYM	< 0.3	0.5	2018-11-12	4.4
9112010	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	WEIGHT R	< 0.3	0.4	2018-11-12	4.4
9112011	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	WRESTLIN	< 0.3	0.5	2018-11-12	3.6
9112012	2018-11-05	6:00 pm	2018-11-07	7:00 pm	62	MT. VIEW	TRAINERS	< 0.3	0.4	2018-11-12	2.8